

NuFIT 3.0: Three-neutrino fit based on data available in November 2016

Ivan Esteban,^a M. C. Gonzalez-Garcia,^{a,b,c} Michele Maltoni,^d Ivan Martinez-Soler,^d Thomas Schwetz^e

^aDepartament de Física Quàntica i Astrofísica and Institut de Ciències del Cosmos, Universitat de Barcelona, Diagonal 647, E-08028 Barcelona, Spain

^bInstitució Catalana de Recerca i Estudis Avançats (ICREA), Pg. Lluis Companys 23, 08010 Barcelona, Spain.

^cC.N. Yang Institute for Theoretical Physics, State University of New York at Stony Brook, Stony Brook, NY 11794-3840, USA

^dInstituto de Física Teórica UAM/CSIC, Calle de Nicolás Cabrera 13–15, Universidad Autónoma de Madrid, Cantoblanco, E-28049 Madrid, Spain

^eInstitut für Kernphysik, Karlsruher Institut für Technologie (KIT), D-76021 Karlsruhe, Germany

E-mail: ivan.esteban@fqa.ub.edu,

maria.gonzalez-garcia@stonybrook.edu, michele.maltoni@csic.es,

ivanj.m@csic.es, schwetz@kit.edu

ABSTRACT: We present updated results for our global analysis of solar, atmospheric, reactor, and accelerator neutrino data in the framework of three-neutrino oscillations. We also provide χ^2 tables for the various one- and two-dimensional projections of the global analysis. If you use these results, please refer to both [1] and [2].

Solar experiments

- Chlorine total rate [3], 1 data point.
- Gallex & GNO total rates [4], 2 data points.
- SAGE total rate [5], 1 data point.
- SK1 full energy and zenith spectrum [6], 44 data points.
- SK2 full energy and day/night spectrum [7], 33 data points.
- SK3 full energy and day/night spectrum [8], 42 data points.
- SK4 2055-day day-night asymmetry [9] and 2365-day energy spectrum [10], 24 data points.
- SNO combined analysis [11], 7 data points.
- Borexino Phase-I 740.7-day low-energy data [12], 33 data points.
- Borexino Phase-I 246-day high-energy data [13], 6 data points.
- Borexino Phase-II 408-day low-energy data [14], 42 data points.

Atmospheric experiments

- IceCube/DeepCore 3-year data [15, 16], 64 data points.

Reactor experiments

- KamLAND combined DS1 & DS2 spectrum [17], 17 data points.
- CHOOZ energy spectrum [18], 14 data points.
- Palo-Verde total rate [19], 1 data point.
- Double-Chooz FD-I (461 days) and FD-II (212 days) spectra [20], 54 data points.
- Daya-Bay 1230-day spectrum [21], 34 data points.
- Reno 800-day near & far total rates [22], 2 data points (with free normalization).
- SBL reactor data (including Daya-Bay total flux at near detector), 77 data points [23, 24].

Accelerator experiments

- MINOS 10.71×10^{20} pot ν_μ -disappearance data [25], 39 data points.
- MINOS 3.36×10^{20} pot $\bar{\nu}_\mu$ -disappearance data [25], 14 data points.
- MINOS 10.6×10^{20} pot ν_e -appearance data [26], 5 data points.
- MINOS 3.3×10^{20} pot $\bar{\nu}_e$ -appearance data [26], 5 data points.
- T2K 7.48×10^{20} pot ν_μ -disappearance data [27, 28], 28 data points.
- T2K 7.48×10^{20} pot ν_e -appearance data [27, 28], 5 data points.
- T2K 7.47×10^{20} pot $\bar{\nu}_\mu$ -disappearance data [27, 28], 63 data points.
- T2K 7.47×10^{20} pot $\bar{\nu}_e$ -appearance data [27, 28], 1 data point.
- NO ν A 6.05×10^{20} pot ν_μ -disappearance data [29], 18 data points.
- NO ν A 6.05×10^{20} pot ν_e -appearance data [29], 10 data points.

Description of the χ^2 data tables

We provide two gzip-compressed files (one for Normal and one for Inverted Ordering) containing the χ^2 data tables for our global analysis. Each file is divided into 21 sections, identified by a unique tag and corresponding to a particular one- or two-dimensional projections. The tags and the meaning of the data columns for each section are listed below (note that $\ell = 1$ for NO and $\ell = 2$ for IO).

N°	Section tag	1 st column	2 nd column	3 rd column
1	# T13/T12	$\sin^2 \theta_{13}$	$\sin^2 \theta_{12}$	$\Delta \chi^2$
2	# T13/DMS	$\sin^2 \theta_{13}$	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta \chi^2$
3	# T12/DMS	$\sin^2 \theta_{12}$	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta \chi^2$
4	# T13/T23	$\sin^2 \theta_{13}$	$\sin^2 \theta_{23}$	$\Delta \chi^2$
5	# T13/DMA	$\sin^2 \theta_{13}$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta \chi^2$
6	# T23/DMA	$\sin^2 \theta_{23}$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta \chi^2$
7	# T13/DCP	$\sin^2 \theta_{13}$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta \chi^2$
8	# T23/DCP	$\sin^2 \theta_{23}$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta \chi^2$
9	# DMA/DCP	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta \chi^2$

N°	Section tag	1 st column	2 nd column	3 rd column
10	# T12/T23	$\sin^2 \theta_{12}$	$\sin^2 \theta_{23}$	$\Delta\chi^2$
11	# T12/DCP	$\sin^2 \theta_{12}$	$\delta_{CP} / [\text{deg}]$	$\Delta\chi^2$
12	# T12/DMA	$\sin^2 \theta_{12}$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$
13	# DMS/T23	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\sin^2 \theta_{23}$	$\Delta\chi^2$
14	# DMS/DCP	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\delta_{CP} / [\text{deg}]$	$\Delta\chi^2$
15	# DMS/DMA	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$
16	# T13	$\sin^2 \theta_{13}$	$\Delta\chi^2$	—
17	# T12	$\sin^2 \theta_{12}$	$\Delta\chi^2$	—
18	# T23	$\sin^2 \theta_{23}$	$\Delta\chi^2$	—
19	# DCP	$\delta_{CP} / [\text{deg}]$	$\Delta\chi^2$	—
20	# DMS	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta\chi^2$	—
21	# DMA	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$	—

References

- [1] I. Esteban, M. C. Gonzalez-Garcia, M. Maltoni, I. Martinez-Soler and T. Schwetz, *Updated fit to three neutrino mixing: exploring the accelerator-reactor complementarity*, [1611.01514](https://arxiv.org/abs/1611.01514).
- [2] I. Esteban, M. C. Gonzalez-Garcia, M. Maltoni, I. Martinez-Soler and T. Schwetz, “NuFIT 3.0 (2016).” <http://www.nu-fit.org>.
- [3] B. T. Cleveland et al., *Measurement of the solar electron neutrino flux with the Homestake chlorine detector*, *Astrophys. J.* **496** (1998) 505–526.
- [4] F. Kaether, W. Hampel, G. Heusser, J. Kiko and T. Kirsten, *Reanalysis of the GALLEX solar neutrino flux and source experiments*, *Phys. Lett. B* **685** (2010) 47–54, [[1001.2731](https://arxiv.org/abs/1001.2731)].
- [5] SAGE collaboration, J. N. Abdurashitov et al., *Measurement of the solar neutrino capture rate with gallium metal. III: Results for the 2002–2007 data-taking period*, *Phys. Rev. C* **80** (2009) 015807, [[0901.2200](https://arxiv.org/abs/0901.2200)].
- [6] SUPER-KAMIOKANDE collaboration, J. Hosaka et al., *Solar neutrino measurements in Super-Kamiokande-I*, *Phys. Rev. D* **73** (2006) 112001, [[hep-ex/0508053](https://arxiv.org/abs/hep-ex/0508053)].
- [7] SUPER-KAMIOKANDE collaboration, J. Cravens et al., *Solar neutrino measurements in Super-Kamiokande-II*, *Phys. Rev. D* **78** (2008) 032002, [[0803.4312](https://arxiv.org/abs/0803.4312)].
- [8] SUPER-KAMIOKANDE collaboration, K. Abe et al., *Solar neutrino results in Super-Kamiokande-III*, *Phys. Rev. D* **83** (2011) 052010, [[1010.0118](https://arxiv.org/abs/1010.0118)].
- [9] Y. Nakano, *⁸B solar neutrino spectrum measurement using Super-Kamiokande IV*. PhD thesis, Tokyo U., 2016-02.
- [10] Y. Nakano, “Solar neutrino results from Super-Kamiokande.” Talk given at the *38th International Conference on High Energy Physics*, Chicago, USA, August 3–10, 2016.
- [11] SNO collaboration, B. Aharmim et al., *Combined Analysis of all Three Phases of Solar Neutrino Data from the Sudbury Neutrino Observatory*, [1109.0763](https://arxiv.org/abs/1109.0763).
- [12] BOREXINO collaboration, G. Bellini et al., *Precision measurement of the ⁷Be solar neutrino interaction rate in Borexino*, *Phys. Rev. Lett.* **107** (2011) 141302, [[1104.1816](https://arxiv.org/abs/1104.1816)].

- [13] BOREXINO collaboration, G. Bellini et al., *Measurement of the solar 8B neutrino rate with a liquid scintillator target and 3 MeV energy threshold in the Borexino detector*, *Phys. Rev.* **D82** (2010) 033006, [[0808.2868](#)].
- [14] BOREXINO collaboration, G. Bellini et al., *Neutrinos from the primary proton–proton fusion process in the Sun*, *Nature* **512** (2014) 383–386.
- [15] ICECUBE collaboration, M. Aartsen et al., *Determining neutrino oscillation parameters from atmospheric muon neutrino disappearance with three years of IceCube DeepCore data*, *Phys. Rev.* **D91** (2015) 072004, [[1410.7227](#)].
- [16] ICECUBE collaboration, J. P. Yañez et al., “IceCube Oscillations: 3 years muon neutrino disappearance data.” http://icecube.wisc.edu/science/data/nu_osc.
- [17] KAMLAND collaboration, A. Gando et al., *Constraints on θ_{13} from A Three-Flavor Oscillation Analysis of Reactor Antineutrinos at KamLAND*, *Phys. Rev.* **D83** (2011) 052002, [[1009.4771](#)].
- [18] CHOOZ collaboration, M. Apollonio et al., *Limits on Neutrino Oscillations from the CHOOZ Experiment*, *Phys. Lett.* **B466** (1999) 415–430, [[hep-ex/9907037](#)].
- [19] PALO VERDE collaboration, A. Piepke, *Final results from the Palo Verde neutrino oscillation experiment*, *Prog. Part. Nucl. Phys.* **48** (2002) 113–121.
- [20] M. Ishitsuka, “New results of Double Chooz.” Talk given at the Conference *Rencontres de Moriond EW 2016*, La Thuile, Italy, March 12–19, 2016.
- [21] Z. Yu, “Recent Results from the Daya Bay Experiment.” Talk given at the *XXVII International Conference on Neutrino Physics and Astrophysics*, London, UK, July 4–9, 2016.
- [22] S.-H. Seo, “New Results from RENO.” Talk given at the *XXVI International Conference on Neutrino Physics and Astrophysics*, Boston, USA, June 2–7, 2014.
- [23] J. Kopp, P. A. N. Machado, M. Maltoni and T. Schwetz, *Sterile Neutrino Oscillations: The Global Picture*, *JHEP* **1305** (2013) 050, [[1303.3011](#)].
- [24] C. Zhang, “Recent Results From Daya Bay.” Talk given at the *XXVI International Conference on Neutrino Physics and Astrophysics*, Boston, USA, June 2–7, 2014.
- [25] MINOS collaboration, P. Adamson et al., *Measurement of Neutrino and Antineutrino Oscillations Using Beam and Atmospheric Data in MINOS*, *Phys. Rev. Lett.* **110** (2013) 251801, [[1304.6335](#)].
- [26] MINOS collaboration, P. Adamson et al., *Electron neutrino and antineutrino appearance in the full MINOS data sample*, *Phys. Rev. Lett.* (2013) , [[1301.4581](#)].
- [27] K. Iwamoto, “Recent Results from T2K and Future Prospects.” Talk given at the *38th International Conference on High Energy Physics*, Chicago, USA, August 3–10, 2016.
- [28] A. Cervera, “Latest Results from Neutrino Oscillation Experiments.” Talk given at the *SUSY 2016 Conference*, Melbourne, Australia, July 3–8, 2016.
- [29] P. Vahle, “New results from NOvA.” Talk given at the *XXVII International Conference on Neutrino Physics and Astrophysics*, London, UK, July 4–9, 2016.