

NuFIT 6.1: Three-neutrino fit based on data available in November 2025

Ivan Esteban,^{a,b} M. C. Gonzalez-Garcia,^{c,d,e} Michele Maltoni,^f Ivan Martinez-Soler,^g João Paulo Pinheiro,^{h,i} Thomas Schwetz^j

^a*Department of Physics, University of the Basque Country UPV/EHU, PO Box 644, 48080 Bilbao, Spain*

^b*EHU Quantum Center, University of the Basque Country UPV/EHU*

^c*Departament de Física Quàntica i Astrofísica and Institut de Ciències del Cosmos, Universitat de Barcelona, Diagonal 647, E-08028 Barcelona, Spain*

^d*Institució Catalana de Recerca i Estudis Avançats (ICREA), Pg. Lluís Companys 23, 08010 Barcelona, Spain.*

^e*C.N. Yang Institute for Theoretical Physics, State University of New York at Stony Brook, Stony Brook, NY 11794-3840, USA*

^f*Instituto de Física Teórica UAM/CSIC, Calle de Nicolás Cabrera 13–15, Universidad Autónoma de Madrid, Cantoblanco, E-28049 Madrid, Spain*

^g*Institute for Particle Physics Phenomenology, Durham University, South Road, DH1 3LE, Durham, UK*

^h*State Key Laboratory of Dark Matter Physics, Tsung-Dao Lee Institute & School of Physics and Astronomy, Shanghai Jiao Tong University, Shanghai 200240, China*

ⁱ*Key Laboratory for Particle Astrophysics and Cosmology (MOE) & Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai 200240, China*

^j*Institut für Astroteilchenphysik, Karlsruher Institut für Technologie (KIT), 76021 Karlsruhe, Germany*

E-mail: ivan.esteban@ehu.eus, concha.gonzalez-garcia@stonybrook.edu,
michele.maltoni@csic.es, ivan.j.martinez-soler@durham.ac.uk,
joaopaulo.pinheiro@fqa.ub.edu, schwetz@kit.edu

ABSTRACT: We present updated results for our global analysis of solar, atmospheric, reactor, and accelerator neutrino data in the framework of three-neutrino oscillations. We also provide χ^2 tables for various one-, two- and three-dimensional projections of the global analysis. If you use these results, please refer to both [1] and [2]. Data sets which have been updated with respect to NuFIT 6.0 are marked by the “ $\Rightarrow$ ” tag.

Solar experiments

- *External information:* Standard Solar Models [3].
- Chlorine total rate [4], 1 data point.
- Gallex & GNO total rates [5], 2 data points.

- SAGE total rate [6], 1 data point.
- SK1 1496-day energy and zenith spectrum [7], 44 data points.
- SK2 791-day energy and day/night spectrum [8], 33 data points.
- SK3 548-day energy and day/night spectrum [9], 42 data points.
- SK4 2970-day energy and day/night spectrum [10], 46 data points.
- SNO combined analysis [11], 7 data points.
- Borexino Phase-I 741-day low-energy data [12], 33 data points.
- Borexino Phase-I 246-day high-energy data [13], 6 data points.
- Borexino Phase-II 1292-day low-energy data [14], 192 data points.
- Borexino Phase-III 1432-day low-energy data [15], 120 data points.

Atmospheric experiments

- *External information:* Atmospheric neutrino fluxes [16].
- ⇒ IC23 IceCube/DeepCore 8-year data (2011-2019) [17], 200 data points.
- IC24 IceCube/DeepCore 9.3-year data (2012-2021) χ^2 map [18, 19] added to our global analysis.
 - SK1-5 484.2 kiloton-year data [20], χ^2 map [21] added to our global analysis.

Reactor experiments

- ⇒ *External information:* Daya Bay reactor neutrino fluxes [22].
- KamLAND separate DS1, DS2, DS3 spectra [23], 69 data points.
- ⇒ SNO+ 1.46 kiloton-year spectrum including both Dataset I & II [24], 46 data points.
- ⇒ JUNO 59.1-day spectrum [25], 66 data points (χ^2 marginalized over $\Delta m_{3\ell}^2$ before inclusion in the global fit, as no information on this parameter is provided by the collaboration).
- Double-Chooz FD/ND spectral ratio, with 1276-day (FD), 587-day (ND) exposures [26], 26 data points.
 - Daya Bay 3158-day separate EH1, EH2, EH3 spectra [27], 78 data points.
- ⇒ Reno 3800-day FD/ND spectral ratio [28], 26 data points.

Accelerator experiments

- MINOS 10.71×10^{20} pot ν_μ -disappearance data [29], 39 data points.
- MINOS 3.36×10^{20} pot $\bar{\nu}_\mu$ -disappearance data [29], 14 data points.
- MINOS 10.6×10^{20} pot ν_e -appearance data [30], 5 data points.
- MINOS 3.3×10^{20} pot $\bar{\nu}_e$ -appearance data [30], 5 data points.
- T2K 21.4×10^{20} pot ν_μ -disappearance data [31], 28 data points.
- T2K 21.4×10^{20} pot ν_e -appearance data [31], 9 data points for the CCQE and 7 data points for the CC1 π samples.
- T2K 16.3×10^{20} pot $\bar{\nu}_\mu$ -disappearance data [32], 19 data points.
- T2K 16.3×10^{20} pot $\bar{\nu}_e$ -appearance data [33], 9 data points.
- NOvA 26.6×10^{20} pot ν_μ -disappearance data [34], 22 data points.

- NOvA 26.6×10^{20} pot ν_e -appearance data [34], 15 data points.
- NOvA 12.5×10^{20} pot $\bar{\nu}_\mu$ -disappearance data [35], 76 data points.
- NOvA 12.5×10^{20} pot $\bar{\nu}_e$ -appearance data [35], 13 data points.

Description of the χ^2 data tables

We provide four xz-compressed files, containing the χ^2 data tables for both Normal and Inverted Ordering of our global «IC23 w/o SK-atm» and «IC24 with SK-atm» analyses. Each file is divided into 22 sections, identified by a unique tag and corresponding to a particular one-, two- or three-dimensional projection. The tags and the meaning of the data columns for each section are listed below (note that $\ell = 1$ for NO and $\ell = 2$ for IO).

N°	Section tag	1 st column	2 nd column	3 rd column	4 th column
1	# T23/DMA/DCP	$\sin^2 \theta_{23}$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta\chi^2$
2	# T13/T12	$\sin^2 \theta_{13}$	$\sin^2 \theta_{12}$	$\Delta\chi^2$	—
3	# T13/DMS	$\sin^2 \theta_{13}$	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta\chi^2$	—
4	# T12/DMS	$\sin^2 \theta_{12}$	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta\chi^2$	—
5	# T13/T23	$\sin^2 \theta_{13}$	$\sin^2 \theta_{23}$	$\Delta\chi^2$	—
6	# T13/DMA	$\sin^2 \theta_{13}$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$	—
7	# T23/DMA	$\sin^2 \theta_{23}$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$	—
8	# T13/DCP	$\sin^2 \theta_{13}$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta\chi^2$	—
9	# T23/DCP	$\sin^2 \theta_{23}$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta\chi^2$	—
10	# DMA/DCP	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta\chi^2$	—
11	# T12/T23	$\sin^2 \theta_{12}$	$\sin^2 \theta_{23}$	$\Delta\chi^2$	—
12	# T12/DCP	$\sin^2 \theta_{12}$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta\chi^2$	—
13	# T12/DMA	$\sin^2 \theta_{12}$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$	—
14	# DMS/T23	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\sin^2 \theta_{23}$	$\Delta\chi^2$	—
15	# DMS/DCP	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta\chi^2$	—
16	# DMS/DMA	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$	—
17	# T13	$\sin^2 \theta_{13}$	$\Delta\chi^2$	—	—
18	# T12	$\sin^2 \theta_{12}$	$\Delta\chi^2$	—	—
19	# T23	$\sin^2 \theta_{23}$	$\Delta\chi^2$	—	—
20	# DCP	$\delta_{\text{CP}} / [\text{deg}]$	$\Delta\chi^2$	—	—
21	# DMS	$\log_{10}(\Delta m_{21}^2 / [\text{eV}^2])$	$\Delta\chi^2$	—	—
22	# DMA	$\Delta m_{3\ell}^2 / [10^{-3} \text{ eV}^2]$	$\Delta\chi^2$	—	—

References

- [1] I. Esteban, M.C. Gonzalez-Garcia, M. Maltoni, I. Martinez-Soler, J.P. Pinheiro and T. Schwetz, *NuFit-6.0: Updated global analysis of three-flavor neutrino oscillations*, *JHEP* **12** (2024) 216 [[2410.05380](https://arxiv.org/abs/2410.05380)].
- [2] I. Esteban, M.C. Gonzalez-Garcia, M. Maltoni, I. Martinez-Soler, J. Paulo Pinheiro and T. Schwetz, “NuFIT 6.1 (2025).” <http://www.nu-fit.org>.
- [3] Y. Herrera and A. Serenelli, *Standard Solar Models B23 / SF-III*, 2023. [ZENODO](https://zenodo.org/doi/10.5281/zenodo.10174170), <https://doi.org/10.5281/zenodo.10174170>.

- [4] B.T. Cleveland et al., *Measurement of the solar electron neutrino flux with the Homestake chlorine detector*, *Astrophys. J.* **496** (1998) 505.
- [5] F. Kaether, W. Hampel, G. Heusser, J. Kiko and T. Kirsten, *Reanalysis of the GALLEX solar neutrino flux and source experiments*, *Phys. Lett.* **B685** (2010) 47 [[1001.2731](#)].
- [6] SAGE collaboration, *Measurement of the solar neutrino capture rate with gallium metal. III: Results for the 2002–2007 data-taking period*, *Phys. Rev.* **C80** (2009) 015807 [[0901.2200](#)].
- [7] SUPER-KAMIOKANDE collaboration, *Solar neutrino measurements in Super-Kamiokande-I*, *Phys. Rev.* **D73** (2006) 112001 [[hep-ex/0508053](#)].
- [8] SUPER-KAMIOKANDE collaboration, *Solar neutrino measurements in Super-Kamiokande-II*, *Phys. Rev.* **D78** (2008) 032002 [[0803.4312](#)].
- [9] SUPER-KAMIOKANDE collaboration, *Solar neutrino results in Super-Kamiokande-III*, *Phys. Rev.* **D83** (2011) 052010 [[1010.0118](#)].
- [10] SUPER-KAMIOKANDE collaboration, *Solar neutrino measurements using the full data period of Super-Kamiokande-IV*, [2312.12907](#).
- [11] SNO collaboration, *Combined Analysis of all Three Phases of Solar Neutrino Data from the Sudbury Neutrino Observatory*, [1109.0763](#).
- [12] BOREXINO collaboration, *Precision measurement of the ^7Be solar neutrino interaction rate in Borexino*, *Phys. Rev. Lett.* **107** (2011) 141302 [[1104.1816](#)].
- [13] BOREXINO collaboration, *Measurement of the solar 8B neutrino rate with a liquid scintillator target and 3 MeV energy threshold in the Borexino detector*, *Phys. Rev.* **D82** (2010) 033006 [[0808.2868](#)].
- [14] BOREXINO collaboration, *First Simultaneous Precision Spectroscopy of pp , ^7Be , and pep Solar Neutrinos with Borexino Phase-II*, *Phys. Rev. D* **100** (2019) 082004 [[1707.09279](#)].
- [15] BOREXINO collaboration, *Improved Measurement of Solar Neutrinos from the Carbon-Nitrogen-Oxygen Cycle by Borexino and Its Implications for the Standard Solar Model*, *Phys. Rev. Lett.* **129** (2022) 252701 [[2205.15975](#)].
- [16] M. Honda, M. Sajjad Athar, T. Kajita, K. Kasahara and S. Midorikawa, *Atmospheric neutrino flux calculation using the NRLMSISE-00 atmospheric model*, *Phys. Rev.* **D92** (2015) 023004 [[1502.03916](#)].
- [17] ICECUBE collaboration, *Measurement of atmospheric neutrino mixing with improved IceCube DeepCore calibration and data processing*, *Phys. Rev. D* **108** (2023) 012014 [[2304.12236](#)].
- [18] ICECUBE collaboration, *Measurement of atmospheric neutrino oscillation parameters using convolutional neural networks with 9.3 years of data in IceCube DeepCore*, [2405.02163](#).
- [19] ICECUBE collaboration, *Data release for neutrino oscillation parameters using convolutional neural networks with 9.3 years of data in icecube deepcore*, 2024. .
- [20] SUPER-KAMIOKANDE collaboration, *Atmospheric neutrino oscillation analysis with neutron tagging and an expanded fiducial volume in Super-Kamiokande I-V*, [2311.05105](#).
- [21] SUPERKAMIOKANDE collaboration, *Atmospheric neutrino oscillation analysis with neutron tagging and an expanded fiducial volume in Super-Kamiokande I-V*, 2024. [ZENODO](#), <https://doi.org/0.5281/zenodo.8401262>.
- [22] DAYA BAY collaboration, *Antineutrino energy spectrum unfolding based on the Daya Bay measurement and its applications*, *Chin. Phys. C* **45** (2021) 073001 [[2102.04614](#)].

- [23] KAMLAND collaboration, *Reactor On-Off Antineutrino Measurement with KamLAND*, *Phys. Rev.* **D88** (2013) 033001 [[1303.4667](#)].
- [24] SNO+ collaboration, *Measurement of reactor antineutrino oscillations with 1.46 ktonne-years of data at SNO+*, [2511.11856](#).
- [25] JUNO collaboration, *First measurement of reactor neutrino oscillations at JUNO*, [2511.14593](#).
- [26] T. Bezerra, “New Results from the Double Chooz Experiment.” Talk given at the *XXIX International Conference on Neutrino Physics and Astrophysics*, Chicago, USA, June 22–July 2, 2020 (online conference).
- [27] DAYA BAY collaboration, *Precision measurement of reactor antineutrino oscillation at kilometer-scale baselines by Daya Bay*, [2211.14988](#).
- [28] RENO collaboration, *Measurement of reactor antineutrino oscillation amplitude and frequency using 3800 days of complete data sample of the RENO experiment*, [2412.18711](#).
- [29] MINOS collaboration, *Measurement of Neutrino and Antineutrino Oscillations Using Beam and Atmospheric Data in MINOS*, *Phys. Rev. Lett.* **110** (2013) 251801 [[1304.6335](#)].
- [30] MINOS collaboration, *Electron neutrino and antineutrino appearance in the full MINOS data sample*, *Phys. Rev. Lett.* (2013) [[1301.4581](#)].
- [31] T2K collaboration, “T2K experiment status and plans.” Talk given at the *XXXI International Conference on Neutrino Physics and Astrophysics*, Milan, Italy, June 16–22, 2024.
- [32] T2K collaboration, *Updated T2K measurements of muon neutrino and antineutrino disappearance using 3.6×10^{21} protons on target*, *Phys. Rev. D* **108** (2023) 072011 [[2305.09916](#)].
- [33] T2K collaboration, *Measurements of neutrino oscillation parameters from the T2K experiment using 3.6×10^{21} protons on target*, *Eur. Phys. J. C* **83** (2023) 782 [[2303.03222](#)].
- [34] NOvA collaboration, *New NOvA Results with 10 Years of Data*, .
- [35] A. Himmel, “New Oscillation Results from the NOvA Experiment.” Talk given at the *XXIX International Conference on Neutrino Physics and Astrophysics*, Chicago, USA, June 22–July 2, 2020 (online conference).